

**A new line of light.**  
48V slim track system.

*Silent innovation.*

KARIZMA luce


• LED'S DELIGHT •

# The idea behind the line


Silent innovation.




TO MEET THE DEMAND  
FOR SLIMMER, MORE  
DISCREET  
ARCHITECTURAL  
PROFILES.



TO EXTEND OUR 48V  
PORTFOLIO AND  
CREATE INTERIORS  
WITH GREATER VISUAL  
SILENCE.



TO ENABLE CURVED  
AND CONTINUOUS  
LAYOUTS IN NARROW  
CEILING LINES.



TO REDUCE MATERIAL  
USAGE AND SUPPORT  
MORE SUSTAINABLE  
DESIGN CHOICES.

KARIZMA [luce]

• LED'S DELIGHT •

# Karizma Luce Q3-Q4 48V track system

Slim presence.

11MM INSIDE  
20MM OUTSIDE

RECESSED  
SURFACED  
SUSPENDED

CEILING-TO-CEILING  
CEILING-TO-WALL  
CURVED LAYOUT

IN-TRACK AC/DC  
INDEPENDENT AC/DC

COMPATIBLE WITH  
AAG STUCCHI MICRO  
ENHANCED BY  
KARIZMA LUCE  
ADAPTERS

NEW ARCHITECTURAL  
LUMINAIRES  
PREMIUM &  
EVERYDAY LINE




KARIZMA [luce]


• LED'S DELIGHT •

# Karizma Luce Q3-Q4 48V tracks

Maximum freedom.



Q3 SURFACE MINI



Q4-S SURFACE /  
SUSPENDED HIGH



Q4-R TRIMLESS  
RECESSED



Q3-C SURFACE  
MINI CURVED -  
CEILING/CEILING



Q3-W SURFACE  
MINI CURVED  
CEILING/WALL

KARIZMA [luce]

• LED'S DELIGHT •

# DIX: Design Interchange X-cover

Seamless customisation.

DIX-Flip cover- a unique modular system that allows the outer sleeve to be exchanged with ease. Seamless customisation, sustainable and future proof.

## STRUCTURE


- Die-cast heatsink with a 48V adapter
- Replaceable LED (COB)
- Replaceable reflector
- Slide-in X-cover in different finishes

This feature is not available for all luminaires.  
Please refer to each product for available options.



KARIZMA [luce]

• LED'S DELIGHT •



# Surface finishes

Elevated choice.

Surface finishes vary by luminaire type. Please refer to each product for available options.

## Powder-coated



P01  
SAND WHITE



P02  
SAND BLACK



P03  
ROCK SAND



P04  
SAND GREY



P05  
MATT GOLD

## Electroplated



EP01  
BLACK CHROME



EP02  
BLUE CHROME



EP03  
ROSE CHROME



EP04  
ANTIQUÉ BRONZE

## Anodized



A01  
FROSTED BLACK



A02  
FROSTED SILVER



A03  
BRUSHED ALUM



A04  
BRUSHED BLACK



A05  
BRUSHED BRONZE



A06  
BRUSHED GOLD



A07  
BRUSHED BRASS



A08  
BRUSHED  
CHAMPAGNE



A09  
BRUSHED NICKEL



A10  
BRUSHED ROSE

KARIZMA [luce]

• LED'S DELIGHT •

# Reflector finishes and optical control

Flexible precision.



GOLD



COPPER



BLACK GLOSSY



BLACK MATT



WHITE



CHROME



FROZEN GLASS

For soft, evenly distributed lighting.



HONEYCOMB

To control glare effectively and enhance visual comfort.



SPILL RING

For optimal glare control and improved visual comfort.

# Juno XS Q3 & Q4

## Compact impact.


Juno is a universal cylindrical spotlight in two sizes, available in single or double option, combining pure simplicity with strong visual impact. XXS and XS with premium reflector finishes, XS Lente with lens optic for sharp ultra narrow beam.

SIZE  
40MM

FINISHING  
HOUSING: WHITE/BLACK/P01-P05, A01-A10, EP-01-EP-04  
REFLECTOR: GOLD, COPPER, WHITE, BLACK GLOSSY, BLACK MATT, CHROME

POWER  
11.5W

BEAM ANGLES  
28°, 37°, 48°



Discover Q3

Discover Q4

# Juno XXS Q3 & Q4

## Compact impact.


Juno is a universal cylindrical spotlight in two sizes, available in single or double option, combining pure simplicity with strong visual impact. XXS and XS with premium reflector finishes, XS Lente with lens optic for sharp ultra narrow beam.

SIZE  
30MM

FINISHING  
HOUSING: WHITE/BLACK/P01-P05, A01-A10, EP-01-EP-04 REFLECTOR: BLACK MATT

POWER  
9W

BEAM ANGLES  
30°, 40°, 55°



Discover Q3

Discover Q4

# Juno XXS duo Q3 & Q4

## Compact impact.


Juno is a universal cylindrical spotlight in two sizes, available in single or double option, combining pure simplicity with strong visual impact. XXS and XS with premium reflector finishes, XS Lente with lens optic for sharp ultra narrow beam.

SIZE  
30MM

FINISHING  
HOUSING: WHITE/BLACK/P01-P05, A01-A10,  
EP-01-EP-04 REFLECTOR: BLACK MATT

POWER  
9W

BEAM ANGLES  
30°, 40°, 55°



[Discover Q3](#)

[Discover Q4](#)

# Julio XS Q3

## Solid peace.


Julio offers a pure, fixed downlight with reflectors in different finishes, combining solid architectural presence with timeless calm.

SIZE  
40MM

FINISHING  
HOUSING: WHITE/BLACK/P01-P05, A01-A10, EP-01-EP-04  
REFLECTOR: GOLD, COPPER, WHITE, BLACK GLOSSY, BLACK MATT, CHROME

POWER  
11.5W

BEAM ANGLES  
28°, 37°, 48°



[Discover more](#)

# Jolie XS Q3 & Q4

## Silent wash.


Jolie delivers a silent, even wallwash in a slim, minimal body, blending seamlessly into architectural lines.

SIZE  
40MM

FINISHING  
HOUSING: WHITE/BLACK/P01-P05, A01-A10, EP-01-EP-04  
REFLECTOR: N/A

POWER  
11.5W

BEAM ANGLES  
WALL WASHER



ESPRESSO	9
AMERICANO	11
CAPPUCCINO	14
RISTRETTO	14
MACCHA	15
FRAPPE	15
FRAPPE WHITE	18
ESPRESSO TONIC	20
LATTE	20
FRAPPE	24

Discover Q3

Discover Q4

# Eros XS TR Q3 & Q4

## Sphere track.

Eros Traccia is a minimalistic luminaire which brings a spherical form to 48V track, offering different reflector finishes for precise, customisable architectural lighting.

### SIZE

63MM (40MM REFLECTOR)

### FINISHING



HOUSING: WHITE/BLACK/P01-P05, EP-01-EP-04  
REFLECTOR: GOLD, COPPER, WHITE, BLACK GLOSSY, BLACK MATT, CHROME, SILVER GLOSSY

### POWER

11.5W

### BEAM ANGLES

28°, 37°, 48°



[Discover Q3](#)

[Discover Q4](#)

# Janus XXS Q3-Q4

## Architectural lift.


Janus combines architectural purity with the DIX exchangeable cover system, offering a long, slim silhouette for refined, flexible design.

SIZE  
30MM

FINISHING  
HOUSING: WHITE/BLACK, P01-P05, A01-A10, EP-01-EP-04  
REFLECTOR: BLACK MATT

POWER  
11.5W

BEAM ANGLES  
25°, 35°, 45°



# Jupiter XS Q3-Q4

## Dynamic focus.


Jupiter brings dynamic focus with an adjustable zoom beam, combining flexibility and precision in a minimal architectural body.

SIZE  
40MM

FINISHING  
HOUSING: WHITE/BLACK

POWER  
11.5W

BEAM ANGLES  
10°-50°



# Jovis XXS Q3 & Q4

Framed precision.

Jovis delivers framed precision with adjustable light shaping, designed for clean, controlled highlights in architectural spaces. Zoom and framer.

SIZE


28MM

FINISHING

HOUSING: WHITE/BLACK

POWER

6W



[Discover Q3](#)

[Discover Q4](#)

KARIZMA **luce**

• LED'S DELIGHT •

# Vesta XXS Q3-Q4

Pure elegance.



Vesta XXS brings pure elegance to architectural spaces, offering precise, minimal lighting in an ultra-compact form.

SIZE  
30MM

FINISHING  
WHITE/BLACK, P01-P05, A01-A10, EP-01-EP-04  
REFLECTOR: BLACK MATT

POWER  
11.5W

BEAM ANGLES  
28°, 37°, 48°



# Eros XS PE Q3-Q4

Spere above.

Eros Pendulo is a suspended spherical luminaire with interchangeable reflector finishes, offering a unique architectural expression through pure form.

## SIZE

64MM

## FINISHING



HOUSING: WHITE/BLACK, P01-P05, EP-01-EP-04  
REFLECTOR: GOLD, COPPER, WHITE, BLACK GLOSSY, BLACK MATT, CHROME, SILVER GLOSSY

## POWER

11.5W

## BEAM ANGLES

28°, 37°, 48°



# Punto M Q3-Q4

Invisible presence.




Punto creates a precise, low-glare beam in a compact, minimal linear form, ideal for clean and comfortable accent lighting.

SIZE  
191MM

FINISHING  
WHITE/BLACK

POWER  
11.5W

BEAM ANGLES  
30°



# Punto L Q3-Q4

Invisible presence.



Punto creates a precise, low-glare beam in a compact, minimal linear form, ideal for clean and comfortable accent lighting.

SIZE  
287MM

FINISHING  
WHITE/BLACK

POWER  
16W

BEAM ANGLES  
30°



# Flusso M Q3-Q4

## Seamless line.

Flusso offers a continuous, flowing line of light, blending seamlessly into architectural compositions with minimal visual impact.

SIZE  
203MM

FINISHING  
WHITE/BLACK

POWER  
13W

BEAM ANGLES  
60°



# Flusso L Q3-Q4

Seamless line.


Flusso offers a continuous, flowing line of light, blending seamlessly into architectural compositions with minimal visual impact.

SIZE  
303MM

FINISHING  
WHITE/BLACK

POWER  
13W

BEAM ANGLES  
60°



# 48V Track mini Q3-Q4 system


48V-track-mini-Q3-Q4-system-V01

KARIZMA luce

## Q3



- 48V low voltage track system designed for surface-mounted applications.
- Powder coated extruded aluminium profile, PVC extruded insulation with copper conductors.
- Four conductors for power and general data signal.
- Special direct and angled connectors available to extend track length.
- With included PMMA cover strip and end caps.
- AC/DC converter for power supply must be ordered separately.
- Maximum distance between luminaire and AC/DC converter is 15 meters.



### 48V Q3 SURFACE LOW TRACK 1000MM

Black 48V11.1000.Q3.BL  
White 48V11.1000.Q3.WH



### 48V Q3 SURFACE LOW TRACK 2000MM

Black 48V11.2000.Q3.BL  
White 48V11.2000.Q3.WH



### 48V Q3-Q4 I-CONNECTOR

Black 48V11.0003.Q3-Q4.BL  
White 48V11.0003.Q3-Q4.WH



### 48V Q3 TRACK COVER 2000MM

Black 48V11.0008.Q3.BL  
White 48V11.0008.Q3.WH



### 48V Q3-Q4 END FEED WITH POWER CABLE

Black 48V11.0002.Q3-Q4.BL  
White 48V11.0002.Q3-Q4.WH



### 48V Q3-Q4 ADJUSTABLE CONNECTOR

Black 48V11.0004.Q3-Q4.BL  
White 48V11.0004.Q3-Q4.WH



### 48V Q3 END CAP

Black 48V11.0007.Q3.BL  
White 48V11.0007.Q3.WH



### 48V Q3 END FEED WITHOUT POWER CABLE

Black 48V11.0001.Q3.BL  
White 48V11.0001.Q3.WH



### 48V Q3 L-CONNECTOR CEILING-CEILING

Black 48V11.0005.Q3.BL  
White 48V11.0005.Q3.WH



### 48V Q3 L-CONNECTOR WALL-CEILING

Black 48V11.0006.Q3.BL  
White 48V11.0006.Q3.WH

# 48V Track mini Q3-Q4 system


48V-track-mini-Q3-Q4-system-V01

KARIZMA luce

## Q4-S



- 48V low voltage track system designed for both surface-mounted and suspended applications.
- Powder coated extruded aluminium profile, PVC extruded insulation with copper conductors.
- Four conductors for power and general data signal.
- Special direct and angled connectors available to extend track length.
- With included PMMA cover strip and end caps.
- AC/DC converter for power supply must be ordered separately.
- Maximum distance between luminaire and AC/DC converter is 15 meters.



### 48V Q4-S SURFACE/SUSPENDED TRACK HIGH 1000MM

Black 48V11.1000.Q4-S.BL  
White 48V11.1000.Q4-S.WH



### 48V Q4-S SURFACE/SUSPENDED TRACK HIGH 2000MM

Black 48V11.2000.Q4-S.BL  
White 48V11.2000.Q4-S.WH



### 48V Q3-Q4 I-CONNECTOR

Black 48V11.0003.Q3-Q4.BL  
White 48V11.0003.Q3-Q4.WH



### 48V Q4-S TRACK COVER 2000MM

Black 48V11.0008.Q4-S.BL  
White 48V11.0008.Q4-S.WH



### 48V Q3-Q4 END FEED WITH POWER CABLE

Black 48V11.0002.Q3-Q4.BL  
White 48V11.0002.Q3-Q4.WH



### 48V Q3-Q4 ADJUSTABLE CONNECTOR

Black 48V11.0004.Q3-Q4.BL  
White 48V11.0004.Q3-Q4.WH



### 48V Q4-S END CAP

Black 48V11.0011.Q4-S.BL  
White 48V11.0011.Q4-S.WH



### 48V Q4-S L-CONNECTOR CEILING-CEILING

Black 48V11.0009.Q4-S.BL  
White 48V11.0009.Q4-S.WH



### 48V Q4-S SUSPENSION KIT WITH CABLE 2000MM

Black 48V11.0013.Q4-S.BL  
White 48V11.0013.Q4-S.WH



### 48V Q4-S L-CONNECTOR WALL-CEILING

Black 48V11.0010.Q4-S.BL  
White 48V11.0010.Q4-S.WH



### 48V Q4 MECHANICAL JOINT

Black 48V11.0012.Q4.BL  
White 48V11.0012.Q4.WH

# 48V Track mini Q3-Q4 system



48V-track-mini-Q3-Q4-system-V01

KARIZMA luce

## Q4-R



- 48V low voltage track system designed for recessed applications. 2 bracket positions available for different ceiling types.
- Powder coated extruded aluminium profile, PVC extruded insulation with copper conductors.
- Four conductors for power and general data signal.
- Special direct and angled connectors available to extend track length.
- With included PMMA cover strip and end caps.
- AC/DC converter for power supply must be ordered separately.
- Maximum distance between luminaire and AC/DC converter is 15 meters.



### 48V Q4-R RECESSED TRACK TRIMLESS 1000MM

Black 48V11.1000.Q4-R.BL  
White 48V11.1000.Q4-R.WH



### 48V Q4-R RECESSED TRACK TRIMLESS 2000MM

Black 48V11.2000.Q4-R.BL  
White 48V11.2000.Q4-R.WH



### 48V Q3-Q4 I-CONNECTOR

Black 48V11.0003.Q3-Q4.BL  
White 48V11.0003.Q3-Q4.WH



### 48V Q4-R TRACK COVER 2000MM

Black 48V11.0008.Q4-R.BL  
White 48V11.0008.Q4-R.WH



### 48V Q3-Q4 END FEED WITH POWER CABLE

Black 48V11.0002.Q3-Q4.BL  
White 48V11.0002.Q3-Q4.WH



### 48V Q3-Q4 ADJUSTABLE CONNECTOR

Black 48V11.0004.Q3-Q4.BL  
White 48V11.0004.Q3-Q4.WH



### 48V Q4-R END CAP

Black 48V11.0018.Q4-R.BL  
White 48V11.0018.Q4-R.WH



### 48V Q4-R L-CONNECTOR CEILING-CEILING

Black 48V11.0016.Q4-R.BL  
White 48V11.0016.Q4-R.WH



### 48V Q4-R L-CONNECTOR WALL-CEILING

Black 48V11.0017.Q4-R.BL  
White 48V11.0017.Q4-R.WH



### 48V Q4 MECHANICAL JOINT

Black 48V11.0012.Q4.BL  
White 48V11.0012.Q4.WH

True elegance is  
never loud.

*Feel inspired.*